



KCA Laboratories
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
<https://kcalabs.com>
KDA Lic.# P_0058

Certificate of Analysis

1 of 8

21AUG23D8WC

Sample ID: SA-230823-26214 Batch:
Distillate Wedding Cake
Type: Finished Product - Inhalable
Matrix: Concentrate - Distillate Unit
Mass (g):

Collected: 08/21/2023
Received: 08/28/2023
Completed: 09/08/2023

		Summary			
Test		Date Tested		Status	
Cannabinoids	09/08/2023	09/08/2023	Tested		
Heavy Metals	09/01/2023	09/01/2023	Tested		
Microbials	08/31/2023	08/31/2023	Tested		
Mycotoxins	09/05/2023	09/05/2023	Tested		
Pesticides	09/05/2023	09/05/2023	Tested		
Residual Solvents	09/01/2023	09/01/2023	Tested		
Terpenes	09/01/2023	09/01/2023	Tested		
ND	68.2 %	95.2 %	Not Tested	Not Tested	Yes
Total Δ9-THC	Δ8-THC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	4.98	49.8
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	6.61	66.1
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	2.77	27.7
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	2.28	22.8
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	4.24	42.4
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	3.02	30.2
Δ8-THC	0.0104	0.0312	68.2	682
Δ8-THCV	0.0067	0.02	0.325	3.25
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0034	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
exo-THC	0.0067	0.02	ND	ND
Δ8-iso-THC	0.0067	0.02	1.19	11.9
Δ4,8-iso-THC	0.0067	0.02	1.52	15.2
Total Δ9-THC			ND	ND
			95.2	952

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD.

Generated By: Ryan Bellone
CCO
Date: 09/08/2023

Tested By: Scott Caudill
Laboratory Manager
Date: 09/08/2023



ISO/IEC 17025:2017 Accredited
Accreditation #108651

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance as established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.